

1700

1764

EAP
04/16/01
#3



Our Reference: UMJ-102-B (UM1544p1)

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Curtis L. Munson & Ralph T. Yang
Serial Number: 09/632,891
Filing Date: August 7, 2000
Examiner/Art Group Unit: Unknown/1764
Title: SULFUR RESISTANT ADSORBENTS

TECHNOLOGY CENTER 1

APR 11 2001

RECEIVED

CERTIFICATE OF MAILING AND TRANSMITTAL LETTER

Assistant Commissioner of Patents
Washington, D.C. 20231

Sir:

Transmitted with this document is a Postcard; Revocation of Power of Attorney, Substitution of New Attorneys & Change of Correspondence Address (Chevron U.S.A.); Revocation of Power of Attorney, Substitution of New Attorneys & Change of Correspondence Address (the Regents of the University of Michigan); Preliminary amendment; Request for Drawing Change Approval; and 11 sheets of informal drawings in the above-identified application.

1 sheet of red-lined drawing part

X No additional fee is required.

X Please charge any deficiency or credit any excess in the enclosed fees to Deposit Account Number 25-0115.

I hereby certify that this correspondence is being deposited with the United States Postal Service as First Class Mail in an envelope addressed to: Assistant Commissioner of Patents, Washington, D.C. 20231, on April 5, 2001.

Julia Church Dierker
Attorney for Applicant
Registration No. 33368
(248) 649-3333

YOUNG & BASILE, P.C.
3001 West Big Beaver Road, Suite 624
Troy, MI 48064-3107
JCD/tlw



Out Reference: UMJ-102-B (UM1544p1)

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Curtis L. Munson & Ralph T. Yang
Serial Number: 09/632,891
Filing Date: August 7, 2000
Examiner/Art Group Unit: Unknown/1764
Title: SULFUR RESISTANT ADSORBENTS

REQUEST FOR DRAWING CHANGE APPROVAL

Assistant Commissioner of Patents
Washington, D.C. 20231

Sir:

The Examiner's approval of the proposed drawing changes indicated on the attached sheets is requested. Such changes, shown in red, are to correct minor errors appearing in the drawing and to provide consistency between the drawing and the written specification. Such changes do not introduce new subject matter into the application.

The changes are as follows: In Fig. 19, on the x-axis, the second occurrence of "0.00" has been replaced by "0.001."

Further, all the originally filed Figures 1-20 have been replaced by informal drawings more in accordance with Patent Office guidelines.

Accordingly, approval of the proposed change(s) is respectfully requested.

Respectfully submitted,

YOUNG & BASILE P.C.


Julia Church Dierker
Attorney for Applicant(s)
Registration No. 33368
(248) 649-3333

3001 West Big Beaver Rd., Suite 624
Troy, Michigan 48084-3107

Dated: April 5, 2001
JCD/tlw

RECEIVED
APR 11 2001
TECHNOLOGY CENTER 1700